

LHHT 250

Replaces date: 17/07/2020 Revision date: 20/03/2022

Version: 1.1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name: LHHT 250

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uses: Lubricant.

1.3. Details of the supplier of the safety data sheet

Supplier

Company: SKF MPT

Address: Meidoornkade 14

 Zip code:
 3992 AE

 City:
 AE Houten

 Country:
 NETHERLANDS

 E-mail:
 support.mpt@skf.com

 Phone:
 +31 30 6307200

 Homepage:
 www.skf.com

1.4. Emergency Telephone Number

Members of the public: 111 (NHS 111 (Scotland: NHS 24))

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

CLP-classification: Aquatic Chronic 3;H412

Most serious harmful effects: Harmful to aquatic life with long lasting effects. May cause slight irritation to the skin and

eyes. The product contains small amounts of 4-(1-methyl-1-phenylethyl)-N-[4-(1-methyl-1-phenylethyl)phenyl]anilin. Persons with a known allergy may exhibit an allergic response to

the product.

2.2. Label elements

Hazard Statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

Supplemental information

EUH208 Contains 4-(1-methyl-1-phenylethyl)-N-[4-(1-methyl-1-phenylethyl)phenyl]anilin. May

produce an allergic reaction.

2.3. Other hazards

Assessment to determine PBT and vPvB has not been made.

SECTION 3: Composition/information on ingredients



LHHT 250

Replaces date: 17/07/2020 Revision date: 20/03/2022

Version: 1.1.0

3.2. Mixtures

Substance	CAS No./ EC No./ REACH Reg. No.	Concentration	Notes	CLP-classification
O,O,O-tris(2(or 4)-C9- 10-isoalkylphenyl) phosphorothioate	126019-82-7 406-940-1 01-0000015643-71 / 01- 2119930067-42	2.5 - 5%		Aquatic Chronic 2;H411
N - [(1,1,3,3- tetramethylbutyl) phenyl] naphthalen-1-amine	51772-35-1 257-406-8 01-2119972293-33	1 - 2.5%		Aquatic Chronic 4;H413
Benzenamine, N- phenyl-, styrenated	68442-68-2 270-485-3 01-2120115789-46	1 -< 2.5%		Aquatic Chronic 4;H413
4-(1-methyl-1- phenylethyl)-N-[4-(1- methyl-1- phenylethyl)phenyl]anilin	10081-67-1 233-215-5 01-2119967418-24	< 1%		Skin Sens. 1;H317 Aquatic Chronic 4;H413
Oleoylsarcosine	110-25-8 203-749-3 01-2119488991-20	< 1%		Skin Irrit. 2;H315 Eye Dam. 1;H318 Acute Tox. 4;H332 Aquatic Acute 1;H400 Aquatic Chronic 3;H412 ATE (vapours) (Acute toxicity - inhalation): 11 mg/l ATE (dust/mist) (Acute toxicity - inhalation): 1.37 mg/l

Please see section 16 for the full text of H- / EUH-phrases.

Ingredient comments: The mineral oils in the product contain <3% DMSO extract(IP 346).

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation: Seek fresh air. Seek medical advice in case of persistent discomfort.

Ingestion: Wash out mouth thoroughly and drink 1-2 glasses of water in small sips. Seek medical

advice in case of persistent discomfort.

Skin contact: Remove contaminated clothing. Wash skin with soap and water. Seek medical advice in

case of persistent discomfort.

Eye contact: Flush with water (preferably using eye wash equipment) until irritation subsides. Seek

medical advice if symptoms persist.

General: When obtaining medical advice, show the safety data sheet or label.

4.2. Most important symptoms and effects, both acute and delayed

May cause slight irritation to the skin and eyes. The product contains small amounts of 4-(1-methyl-1-phenylethyl)-N-[4-(1-methyl-1-phenylethyl)phenyl]anilin. Persons with a known allergy may exhibit an allergic response to the product.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms. No special immediate treatment required.

SECTION 5: Firefighting measures

5.1. Extinguishing media



LHHT 250

Replaces date: 17/07/2020 Revision date: 20/03/2022

Version: 1.1.0

Suitable extinguishing media: Extinguish with powder, foam or water mist. Use water or water mist to cool non-ignited

stock.

Unsuitable extinguishing

media:

Do not use water stream, as it may spread the fire.

5.2. Special hazards arising from the substance or mixture

Not flammable, but combustible. The product decomposes when combusted and the following toxic gases can be formed: Carbon monoxide and carbon dioxide/ Sulphur oxides.

5.3. Advice for firefighters

Move containers from danger area if it can be done without risk. Avoid inhalation of vapour and flue gases - seek fresh air. Wear Self-Contained Breathing Apparatus (SCBA) with chemical resistant gloves.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Stay upwind/keep distance from source. Stop leak if this can be done without risk. Wear

safety goggles if there is a risk of eye splash. Wear gloves.

For emergency responders: In addition to the above: Normal protective clothing equivalent to EN 469 is recommended.

6.2. Environmental precautions

Prevent spillage from entering drains and/or surface water.

6.3. Methods and material for containment and cleaning up

Contain and absorb spill with sand or other absorbent material and transfer to suitable waste containers. Wipe up minor spills with a cloth.

6.4. Reference to other sections

See section 8 for type of protective equipment. See section 13 for instructions on disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Use the product under well-ventilated conditions. Running water and eye wash equipment must be available. Wash hands before breaks, before using restroom facilities, and at the end of work.

7.2. Conditions for safe storage, including any incompatibilities

Store safely, out of reach of children and away from food, animal feeding stuffs, medicines, etc. Keep in tightly closed original packaging. Do not store with the following: Oxidisers.

7.3. Specific end use(s)

None.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit: Contains no substances subject to reporting requirements



LHHT 250

Replaces date: 17/07/2020 Revision date: 20/03/2022

Version: 1.1.0

Measuring methods: Compliance with occupational exposure limits may be checked by occupational hygiene

measurements.

Legal basis: EH40/2005 Workplace exposure limits. Last amended January 2020.

DNEL - workers

O,O,O-tris(2(or 4)-C9-10-isoalkylphenyl) phosphorothioate, cas-no 126019-82-7										
Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note					
Inhalation DNEL (long-term exposure - systemic effects)	11,75 mg/m³									
Dermal DNEL (long- term exposure - systemic effects)	33,3 mg/kg bw/day									
N - [(1,1,3,3-tetramet	hylbutyl) phenyl] napl	nthalen-1-amine, cas-	no 51772-35-1							
Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note					
Inhalation DNEL (long-term exposure - systemic effects)	11,75 mg/m³									
Dermal DNEL (long- term exposure - systemic effects)	3.3 mg/kg bw/day									
Benzenamine, N-phe	enyl-, styrenated, cas-	no 68442-68-2								
Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note					
Inhalation DNEL (long-term exposure - systemic effects)	16,4 mg/m³									
Dermal DNEL (long- term exposure - systemic effects)	2,33 mg/kg bw/day									
4-(1-methyl-1-phenyl	ethyl)-N-[4-(1-methyl-	1-phenylethyl)phenyl]	anilin, cas-no 10081-	67-1						
Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note					
Inhalation DNEL (long-term exposure - systemic effects)	7,05 mg/m³									
Inhalation DNEL (acute/short-term exposure - local effects)	280 mg/m³									
Dermal DNEL (long- term exposure - systemic effects)	1 mg/kg bw/day									
Oleoylsarcosine, cas	-no 110-25-8									
Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note					
Inhalation DNEL (long-term exposure - systemic effects)	0,8 mg/m³									



Safety Data Sheet **LHHT 250** Replaces date: 17/07/2020 Revision date: 20/03/2022 Version: 1.1.0 Dermal DNEL (longterm exposure -20 mg/kg bw/day systemic effects)

8.2. Exposure controls

Appropriate engineering controls:

Wear the personal protective equipment specified below.

eye/face protection:

Personal protective equipment, Wear safety goggles if there is a risk of eye splash. Eye protection must conform to EN

hand protection:

Personal protective equipment, In the event of direct skin contact, wear protective gloves: Type of material and thickness: Nitrile rubber/ > 1 mm. Penetration time: > 60 min. Gloves must conform to EN 374.

The suitability and durability of a glove is dependant on usage, e.g. frequency and duration of contact, glove material thickness, functionality and chemical resistance. Always seek

advice from the glove supplier.

Personal protective equipment, Not required. respiratory protection:

In case of spraying/formation of spraying mists: Wear respiratory protective equipment. Filter type: P. Respiratory protection must conform to one of the following standards: EN

136/140/145.

Environmental exposure

controls:

Ensure compliance with local regulations for emissions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

on morniation on basis projectal and enominear properties					
Parameter	Value/unit				
State	Liquid				
Colour	Amber				
Odour	Characteristic				
Solubility	Not miscible with the following: Water.				

Parameter	Value/unit	Remarks
Odour threshold	No data	
Melting point	No data	
Freezing point	No data	
Initial boiling point and boiling range	No data	
Flammability (solid, gas)	No data	
Flammability limits	No data	
Explosion limits	No data	
Flash Point	≥ 250 °C	
Auto-ignition temperature	No data	
Decomposition temperature	No data	
pH (solution for use)	No data	
pH (concentrate)	No data	
Kinematic viscosity	225 - 275 mm2/s	(40 °C)
Viscosity	No data	
Partition coefficient n-octonol/water	No data	
Vapour pressure	No data	
Density	0.935 - 0.945 g/cm ³	(15 °C)
Relative density	No data	



LHHT 250

Replaces date: 17/07/2020 Revision date: 20/03/2022

Version: 1.1.0

Vapour density	No data	
Relative density (sat. air)	No data	
Particle characteristics	No data	

9.2. Other information

Other Information: None.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts with the following: Oxidisers.

10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Oxidisers.

10.6. Hazardous decomposition products

The product decomposes when combusted or heated to high temperatures and the following toxic gases can be formed: Carbon monoxide and carbon dioxide/ Sulphur oxides.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - oral: Ingestion may cause discomfort. The product does not have to be classified. Test data are

not available.

Acute toxicity - dermal: The product does not have to be classified. Test data are not available.

Acute toxicity - inhalation: The product does not have to be classified. Test data are not available.

Skin corrosion/irritation: May cause slight irritation. The product does not have to be classified. Test data are not

available.

Serious eye damage/eye

irritation:

May cause eye irritation. The product does not have to be classified. Test data are not

available.

Respiratory sensitisation or

skin sensitisation:

The product contains small amounts of 4-(1-methyl-1-phenylethyl)-N-[4-(1-methyl-1-phenylethyl)phenyl]anilin. Persons with a known allergy may exhibit an allergic response to

the product. The product does not have to be classified. Test data are not available.

Germ cell mutagenicity: The product does not have to be classified. Test data are not available.



LHHT 250

Replaces date: 17/07/2020 Revision date: 20/03/2022

Version: 1.1.0

Carcinogenic properties: The product does not have to be classified. Test data are not available.

Reproductive toxicity: The product does not have to be classified. Test data are not available.

Single STOT exposure: The product does not have to be classified. Test data are not available.

Repeated STOT exposure: The product does not have to be classified. Test data are not available.

Aspiration hazard: The product does not have to be classified. Test data are not available.

11.2. Information on other hazards

Endocrine disrupting

properties:

None known.

Other toxicological effects: None known.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

12.2. Persistence and degradability

O,O,O-tris(2(or 4)-C9-10-isoalkylphenyl) phosphorothioate, cas-no 126019-82-7

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
		28 d		2 %			ECHA

N - [(1,1,3,3-tetramethylbutyl) phenyl] naphthalen-1-amine, cas-no 51772-35-1

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
		28 d		0 %			ECHA

Benzenamine, N-phenyl-, styrenated, cas-no 68442-68-2

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
		28 d		9%			ECHA

4-(1-methyl-1-phenylethyl)-N-[4-(1-methyl-1-phenylethyl)phenyl]anilin, cas-no 10081-67-1

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
		28 d		29 %			ECHA

Oleoylsarcosine, cas-no 110-25-8

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
		28 d		85.2 %			ECHA

The product contains at least one readily biodegradable substance. Not expected to be biodegradable.

12.3. Bioaccumulative potential

O,O,O-tris(2(or 4)-C9-10-isoalkylphenyl) phosphorothioate, cas-no 126019-82-7

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
			Log Kow	20			

N - [(1,1,3,3-tetramethylbutyl) phenyl] naphthalen-1-amine, cas-no 51772-35-1

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
			Log Kow	> 6			

Benzenamine, N-phenyl-, styrenated, cas-no 68442-68-2



LHHT 250

Replaces date: 17/07/2020 Revision date: 20/03/2022

Version: 1.1.0

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
			BCF	1.827			

4-(1-methyl-1-phenylethyl)-N-[4-(1-methyl-1-phenylethyl)phenyl]anilin, cas-no 10081-67-1

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
			Log Kow	> 3			

Oleoylsarcosine, cas-no 110-25-8

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
			Log Kow	3.5 - 4.2			

Bioaccumulation can be expected.

12.4. Mobility in soil

Test data are not available.

12.5. Results of PBT and vPvB assessment

No assessment has been made.

12.6. Endocrine disrupting properties

None known.

12.7. Other adverse effects

None known.

German water pollution classification (WGK): 2

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Avoid discharge to drain or surface water. If this product as supplied becomes a waste, it meets the criteria of a hazardous waste (Dir. 2008/98/EU). Collect spills and waste in closed, leak-proof containers for disposal at the local hazardous waste site. Empty, cleansed packaging should be disposed of for recycling. Uncleansed packaging is to be disposed of via the local waste-removal scheme.

Category of waste: EWC code: Depends on line of business and use, for instance 13 02 08* other engine,

gear and lubricating oils

Absorbent/cloth contaminated with the product: EWC code: 15 02 02 absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing

hazards:

contaminated by dangerous substances.

SECTION 14: Transport information

14.1. UN number or ID number:Not applicable.14.4. Packing group:Not applicable.14.2. UN proper shippingNot applicable.14.5. EnvironmentalNot applicable.

name:

14.3. Transport hazard Not applicable.

class(es):

14.6. Special precautions for user

None.



LHHT 250

Replaces date: 17/07/2020 Revision date: 20/03/2022

Version: 1.1.0

14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

Other Information: The product is not covered by the rules for transport of dangerous goods.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Special Provisions: None.

15.2. Chemical Safety Assessment

REACH Reg. No.	Substance name		
01-0000015643-71 / 01- 2119930067-42	O,O,O-tris(2(or 4)-C9-10-isoalkylphenyl) phosphorothioate		
01-2119488991-20	Oleoylsarcosine		
01-2119967418-24	4-(1-methyl-1-phenylethyl)-N-[4-(1-methyl-1-phenylethyl)phenyl]anilin		
01-2119972293-33	N - [(1,1,3,3-tetramethylbutyl) phenyl] naphthalen-1-amine		
01-2120115789-46	Benzenamine, N-phenyl-, styrenated		

SECTION 16: Other information

Version history and indication of changes

Version	Revision date	Responsible	Changes
1.1.0	20/03/2022	Bureau Veritas HSE/ SRU	1, 3-5, 7-12, 15-16

Abbreviations: PBT: Persistent, Bioaccumulative and Toxic

vPvB: Very Persistent and Very Bioaccumulative

STOT: Specific Target Organ Toxicity DNEL: Derived No Effect Level

Other Information: This safety data sheet has been prepared for and applies to this product only. It is based on

our current knowledge and the information that the supplier was able to provide about the product at the time of preparation. The safety data sheet complies with applicable law on preparation of safety data sheets in accordance with Regulation 1907/2006/EC "The Registration, Evaluation and Authorization of Chemicals" as amended by the stationary UK

REACH etc. (EU Exit) as subsequently changed.

Training advice: A thorough knowledge of this safety data sheet should be a prerequisite condition.

Classification method: Calculation based on the hazards of the known components.

List of relevant H-statements

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

H332 Harmful if inhaled.

H400 Very toxic to aquatic life.



LHHT 250

Replaces date: 17/07/2020 Revision date: 20/03/2022

Version: 1.1.0

H411 Toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.
 H413 May cause long lasting harmful effects to aquatic life.

List of relevant EUH-statements

EUH208 Contains 4-(1-methyl-1-phenylethyl)-N-[4-(1-methyl-1-phenylethyl)phenyl]anilin. May

produce an allergic reaction.

Country: GB